



ABRASIVES

INDEX

DESCRIPTION	PAGE
CUTTING DISC	3
GRINDING DISC	4
FLAP DISC	5
RESIN FIBER DISC	6
EMERY CLOTH	7



iCut abrasive range is engineered for those who demand performance without the premium price tag, Whether you are a high-volume industrial fabricator or a dedicated DIYer, our high-performance products deliver the perfect balance of longevity and precision. We understand that in the workshop, downtime is a hidden cost; that's why iCut products are manufactured to a high standard, ensuring a fast, clean cut and a smooth finish every time. With iCut, you don't have to choose between your budget and your results you get with industrial-grade reliability at a price that keeps your projects moving forward.

SOME KEY FEATURES

- Strong multi-layer fiberglass reinforcement for additional safety.
- Active fillers for improved cutting performance and life.
- Mixed with high-quality abrasive grains.
- High Tensile strength.
- Shock resistance.
- Flexural strength.
- Applicable linear velocity up to 80m/sec.

PRODUCT CODE	TYPE	WHEEL SIZE (mm)	WHEEL THICKNESS (mm)	BORE HOLE SIZE (mm)	UNITS PER PACK
IC-C-115-1	ALUMINIUM OXIDE	115	1.0	22.2	10
IC-C-115-1.6	ALUMINIUM OXIDE	115	1.6	22.2	10
IC-C-115-2.5	ALUMINIUM OXIDE	115	2.5	22.2	5
IC-C-180-1.6	ALUMINIUM OXIDE	180	1.6	22.2	10
IC-C-180-3	ALUMINIUM OXIDE	180	3.0	22.2	5
IC-C-230-1.9	ALUMINIUM OXIDE	230	1.9	22.2	10
IC-C-230-3	ALUMINIUM OXIDE	230	3.0	22.2	5
IC-C-355-3	ALUMINIUM OXIDE	335	3.0	25.4	5





iCut abrasive range is engineered for those who demand performance without the premium price tag, Whether you are a high-volume industrial fabricator or a dedicated DIYer, our high-performance products deliver the perfect balance of longevity and precision. We understand that in the workshop, downtime is a hidden cost; that's why iCut products are manufactured to a high standard, ensuring a fast, clean cut and a smooth finish every time. With iCut, you don't have to choose between your budget and your results you get with industrial-grade reliability at a price that keeps your projects moving forward.

SOME KEY FEATURES

- Strong multi-layer fiberglass reinforcement for additional safety.
- Active fillers for improved cutting performance and life.
- Mix with high-quality abrasive grains.
- High Tensile strength.
- Shock resistance.
- Flexure strength.
- Applicable linear velocity up to 80m/sec.

PRODUCT CODE	TYPE	WHEEL SIZE (mm)	WHEEL THICKNESS (mm)	BORE HOLE SIZE (mm)	UNITS PER PACK
IC-G-115-6	STANDARD	115	6	22.2	5
IC-G-230-6	STANDARD	230	6	22.2	5
IC-G-A/O-115-6	ALUMINIUM OXIDE	115	6	22.2	5
IC-G-A/O-180-6	ALUMINIUM OXIDE	180	6	22.2	5
IC-G-A/O-230-6	ALUMINIUM OXIDE	230	6	22.2	5
IC-G-Z/A-115-6	ZIRCONIA ALUMINA	115	6	22.2	5
IC-G-Z/A-230-6	ZIRCONIA ALUMINA	115	6	22.2	5



ALUMINIUM OXIDE



ZIRCONIA ALUMINA

iCut abrasive range is engineered for those who demand performance without the premium price tag. Whether you are a high-volume industrial fabricator or a dedicated DIYer, our high-performance products deliver the perfect balance of longevity and precision. We understand that in the workshop, downtime is a hidden cost; that's why iCut products are manufactured to a high standard, ensuring a fast, clean cut and a smooth finish every time. With iCut, you don't have to choose between your budget and your results you get with industrial-grade reliability at a price that keeps your projects moving forward.

SOME KEY FEATURES - ALUMINIUM OXIDE

- Ideal for deburring, removing scale, removing welding seams and spots, rust and oxidation of any kind.
- Use on metal, wood and aluminium.


SOME KEY FEATURES - ZIRCONIUM OXIDE

- Fast and efficiently.
- Used for varies applications such as deburring, removing welding seams and spots, rust and any kind of oxidation, blunting sharp corners and edges.

PRODUCT CODE	TYPE	GRIT	WHEEL	BORE HOLE	UNITS
IC-FA-115-40	ALUMINIUM OXIDE	40	115	22.2	10
IC-FA-115-60	ALUMINIUM OXIDE	60	115	22.2	10
IC-FA-115-80	ALUMINIUM OXIDE	80	115	22.2	10
IC-FA-115-100	ALUMINIUM OXIDE	100	115	22.2	10
IC-FA-115-120	ALUMINIUM OXIDE	120	115	22.2	10
IC-FA-180-60	ALUMINIUM OXIDE	60	180	22.2	10
IC-FA-180-80	ALUMINIUM OXIDE	80	180	22.2	10
IC-FZ-115-40	ZIRCONIUM OXIDE	40	115	22.2	10
IC-FZ-115-60	ZIRCONIUM OXIDE	60	115	22.2	10
IC-FZ-115-80	ZIRCONIUM OXIDE	80	115	22.2	10
IC-FZ-115-100	ZIRCONIUM OXIDE	100	115	22.2	10
IC-FZ-115-120	ZIRCONIUM OXIDE	120	115	22.2	10



ALUMINIUM OXIDE



ZIRCONIA ALUMINA



BACKING PAD

iCut abrasive range is engineered for those who demand performance without the premium price tag. Whether you are a high-volume industrial fabricator or a dedicated DIYer, our high-performance products deliver the perfect balance of longevity and precision. We understand that in the workshop, downtime is a hidden cost; that's why iCut products are manufactured to a high standard, ensuring a fast, clean cut and a smooth finish every time. With iCut, you don't have to choose between your budget and your results you get with industrial-grade reliability at a price that keeps your projects moving forward.

SOME KEY FEATURES - ALUMINIUM OXIDE

- Suitable for various materials such as steel, non-ferrous metal, aluminium, plastic and wood.

SOME KEY FEATURES - ZIRCONIA ALUMINA

- It can bear heavier loads compared to aluminium oxide.
- Ideally suited on various materials such as alloy steel, non-alloy steel, high strength material, acid resistant steel, stainless steel, non-ferrous metal

PRODUCT CODE	TYPE	GRIT	WHEEL SIZE (mm)	BORE HOLE SIZE (mm)	UNITS PER PACK
IC-RFA-115-100	ALUMINIUM OXIDE	100	115	22.2	10
IC-RFA-115-120	ALUMINIUM OXIDE	120	115	22.2	10
IC-RFA-115-40	ALUMINIUM OXIDE	40	115	22.2	10
IC-RFA-115-60	ALUMINIUM OXIDE	60	115	22.2	10
IC-RFA-115-80	ALUMINIUM OXIDE	80	115	22.2	10
IC-RF-BP-115	RUBBER BACKING PAD	-	115	22.2	1
IC-RFZ-115-100	ZIRCONIA ALUMINA	100	115	22.2	10
IC-RFZ-115-120	ZIRCONIA ALUMINA	120	115	22.2	10
IC-RFZ-115-40	ZIRCONIA ALUMINA	40	115	22.2	10
IC-RFZ-115-60	ZIRCONIA ALUMINA	60	115	22.2	10
IC-RFZ-115-80	ZIRCONIA ALUMINA	80	115	22.2	10





iCut abrasive range is engineered for those who demand performance without the premium price tag. Whether you are a high-volume industrial fabricator or a dedicated DIYer, our high-performance products deliver the perfect balance of longevity and precision. We understand that in the workshop, downtime is a hidden cost; that's why iCut products are manufactured to a high standard, ensuring a fast, clean cut and a smooth finish every time. With iCut, you don't have to choose between your budget and your results you get with industrial-grade reliability at a price that keeps your projects moving forward.

SOME KEY FEATURES

- High-cost performance.
- Can be used by hand and machine.
- Aluminium oxide abrasive.
- Double resin boned.
- J-weight-cotton-cloth backing.
- Close coated.
- Waterproof

APPLICATION

- Superior quality traditional product suitable for most workshop metal grinding and polishing applications.

PRODUCT CODE	TYPE	GRIT	CLOTH	CLOTH	UNITS
IC-ECA-50-40	ALUMINIUM OXIDE	40	50	50	1
IC-ECA-50-60	ALUMINIUM OXIDE	60	50	50	1
IC-ECA-50-80	ALUMINIUM OXIDE	80	50	50	1
IC-ECA-50-100	ALUMINIUM OXIDE	100	50	50	1
IC-ECA-50-120	ALUMINIUM OXIDE	120	50	50	1
IC-ECA-50-150	ALUMINIUM OXIDE	150	50	50	1
IC-ECA-50-160	ALUMINIUM OXIDE	160	50	50	1
IC-ECA-50-220	ALUMINIUM OXIDE	220	50	50	1
IC-ECA-50-240	ALUMINIUM OXIDE	240	50	50	1
IC-ECA-50-320	ALUMINIUM OXIDE	320	50	50	1
IC-ECA-50-400	ALUMINIUM OXIDE	400	50	50	1



ABRASIVES



BROCHURES AVAILABLE

SAFETY EQUIPMENT FOR PPE & ONSITE

WELDING EQUIPMENT & ACCESSORIES

GAS EQUIPMENT & ACCESSORIES

WELDING & PLASMA MACHINES

PLASMA TORCH & ACCESSORIES

MIG TORCH & ACCESSORIES

TIG TORCH & ACCESSORIES

WELDING CONSUMABLES

ABRASIVES

PRODUCT LIST NAVIGATOR

Click on a product listed below to jump to its page. Click on  in the red ribbon to jump back to this product list navigator page.

ELECTRODE DRYER	PAGE
• D-5 HOT BOX (kg)	4
• D-10 HOTBOX (10kg)	4

EARTH CLAMPS	PAGE
• TAURUS CROCODILE TYPE EARTH CLAMPS	5
• TAURUS SCREW TYPE EARTH CLAMPS	5

ELECTRODE HOLDERS	PAGE
• GERMAN TYPE ELECTRODE HOLDERS	6
• SAMSON TYPE ELECTRODE HOLDERS	6
• TWISTLOCK TYPE ELECTRODE HOLDERS	6
• OPTIMUS TYPE ELECTRODE HOLDERS	6

CONNECTORS AND SOCKETS	PAGE
• FEMALE MACHINE SOCKETS	7
• MALE CABLE CONNECTOR PLUGS	7
• FEMALE CABLE SOCKETS	7
• CABLE LUGS	7

WELDING CABLE	PAGE
• PVC WELDING CABLES	8

GOUGIN TORCHES AND ACCESSORIES	PAGE
• K4000 GOUGING TORCH	9
• K5000 GOUGING TORCH	9
• GOUGING TORCH ACCESSORIES	9

FIRE BLANKETS	PAGE
• FIBERGLASS FIRE BLANKETS	10

PICKLING AND PASSIVATING	PAGE
• PICKLING PASTE	11
• PASSIVATING PASTE	11
• PICKLE BRUSHES	11

WIRE BRUSH	PAGE
• STAINLESS STEEL WIRE BRUSH	12
• MILD STEEL WIRE BRUSH	12

CHIPPING HAMMER	PAGE
• HEAVY DUTY CHIPPING HAMMER	12

MARKING CHALK	PAGE
• BOILER MAKER CHALK	12

ANTI-SPATTER SPRAY	PAGE
• SILICONE ANTI-SPATTER SPRAY	13
• NON-SILICONE ANTI-SPATTER SPRAY	13

INSPECTION SPRAY	PAGE
• CLEANER	13
• DEVELOPER	13
• PENETRANT	13

WELDING SCREENS	PAGE
• 1 PIECE YELLOW WELDING SCREENS	14

WELDING MAGNETS	PAGE
• 3 ANGLE PERMANENT WELDING MAGNETS	14



iCut abrasive range is engineered for those who demand performance without the premium price tag. Whether you are a high-volume industrial fabricator or a dedicated DIYer, our high-performance products deliver the perfect balance of longevity and precision. We understand that in the workshop, downtime is a hidden cost; that's why iCut products are manufactured to a high standard, ensuring a fast, clean cut and a smooth finish every time. With iCut, you don't have to choose between your budget and your results-you get industrial-grade reliability at a price that keeps your projects moving forward.

SOME KEY FEATURES

- High-temperature disc.
- Suitable for various materials such as;
 - Steel
 - Nonferrous metals.
 - Aluminium
 - Plastic
 - Wood

PRODUCT CODE	DESCRIPTION	WEIGHT CAPACITY	MAXIMUM ELECTRODE
D-5	TAURUS HOTBOX ELECTRODE DRYER - 5KG	5kg	450mm
D-5-PREMIUM	TAURUS PREMIUM HOTBOX ELECTRODE DRYER - 5KG	5kg	450mm

